

ELEMENT™ 3" HALOGEN

REMODEL ADJUSTABLE DOWNLIGHT

Halogen MR16 remodel downlight with architectural appearance. 0°- 30° tilt and 361° internal rotation, includes hot aiming and locking.

- 0°- 30° tilt and 361° rotation, in only a 5.75" deep housing
- Compatible with LED MR16 replacement lamp. LED MR16 requires no load electronic transformer (12 watt max).
- Power supplies can be accessed through the aperture
- Accepts 2 optical controls and an optional trim mounted lens
- Glare reducing snoot integrated
- Lensed and shower options include Solite™ soft focus lens at aperture
- Accepts standard E3 New Construction flanged trims

Installation


- Use standard 3-7/8" hole saw or 3-7/8" cut-out (template included) for flanged trims.
- Set screws engage with expanding collar for robust mounting within the ceiling cut-out

SPECIFICATIONS

LAMP	Low-voltage Halogen MR16 lamp. Compatible with LED MR16 replacement lamps.
WATTS	Halogen: 50w Non-IC max
VOLTAGE	120V or 277V
DIMMING*	ELV or MLV (Dimming dependent on transformer type).
ADJUSTABILITY	Hot aiming, including 0°-35° Tilt and 353° rotation
CEILING APPEARANCE	Flanged (accommodates up to 1" drywall or wood ceiling thickness)
CEILING APERTURE	3-7/8"
HOUSING	Non-IC
POWER SUPPLY	Halogen: Electronic or Magnetic transformer. No load transformer required for LED MR16 compatibility
GENERAL LISTING	ETL listed. Damp listed. Shower version wet listed.
CONSTRUCTION	Housing: Heavy gauge cold rolled steel Trims: Die-cast aluminum
FINISH	Housing: Black Trims: Antique Bronze, Black, Satin Nickel, White (paintable)
WARRANTY**	1 year

*See ELEMENT-lighting.com for dimmer compatibility.

**Visit ELEMENT-lighting.com for specific warranty limitations and details.



shown in flanged bevel square

ELEMENT™ 3" HALOGEN

REMODEL ADJUSTABLE DOWNLIGHT

GRIDS

HOUSING

PRODUCT SERIES	CEILING APPEARANCE	LAMP	FUNCTION	HOUSING RATING	TRANSFORMER	WATTAGE RESTRICTION (PER SOCKET)	VOLTAGE
E3R ELEMENT 3" ROUND	RF FLANGED REMODEL	-H HALOGEN MR16	A ADJUSTABLE	N NON-IC	E ELECTRONIC	NONE (LEAVE BLANK)	120 VOLT (LEAVE BLANK)
E3S ELEMENT 3" SQUARE					M MAGNETIC	-WR WATTAGE RESTRICTION*	277 VOLT (LEAVE BLANK)
					N NO LOAD ELECTRONIC		277 277 VOLT
	RF	-H	A	N			

TRIMS ARE REQUIRED AND MUST BE ORDERED SEPARATELY.

*TO INCLUDE WATTAGE RESTRICTION LABEL, SPECIFY -WR AT THE END OF THE HOUSING ITEM NUMBER AND SPECIFY WATTAGE (EXAMPLE: -WR37).

TRIM

PRODUCT SERIES	CEILING APPEARANCE	STYLE	APERTURE	FINISH
E3R ELEMENT 3" ROUND	F FLANGED	B BEVEL	-O NO LENS	Z ANTIQUE BRONZE
E3S ELEMENT 3" SQUARE		F FLAT	-H SHOWER	B BLACK
			-L LENSED	S SATIN NICKEL
				W WHITE
	F		-	

PROJECT INFO

FIXTURE TYPE & QUANTITY

JOB NAME & INFO

NOTES



7400 Linder Avenue, Skokie, Illinois 60077

T 847.410.4400 F 847.410.4500




© 2019 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark. Tech Lighting reserves the right to change specifications for product improvements without notification.

ELEMENT™ 3" HALOGEN


REMODEL ADJUSTABLE DOWNLIGHT

TRIMS

ROUND




FLANGED BEVEL



FLANGED FLAT

SQUARE



FLANGED BEVEL



FLANGED FLAT

FINISH



ANTIQU
BRONZE



BLACK



SATIN
NICKEL



WHITE
(PAINTABLE)

3" HOUSING

