


VERSE™ 3" LED

SLOPED CEILING DOWNLIGHTS


AVAILABLE JULY 2022

The VERSE 3" LED Sloped Ceiling Fixed Downlight offers a cost-effective alternative for residential, multifamily and hospitality applications without sacrificing aesthetics or quality. VERSE is IC-rated and provides a minimal profile without the need for a large housing. The LED subassembly and driver ship integrated with the housing which eliminates a second wiring step after the ceiling is installed.

- 879 lumens
- 2700K and 3000K; 90+ CRI
- Easy installation
- Light source is integrated as part of the housing
- One housing for round and square trim options
- 5.2" tall housing fits into shallow plenums
- Collar notches assist in the alignment of multiple housings
- IC-rated, airtight, wet-rated
- Patent pending



ROUND



SQUARE

SPECIFICATIONS

	SLOPED FIXED	
	2700K	3000K
DELIVERED LUMENS	835	879
WATTS	9W	
EFFICACY	93	97
CRI	90+	
COLOR CONSISTENCY	3-step	
VOLTAGE	120V	
DIMMING ¹	Reverse phase, Forward phase, and TRIAC dimming down to 2% to 4% with several dimmers	
POWER SUPPLY	Constant current driver with +.9 power factor and +80% efficiency	
OPTICS	Diffused lens provides 60° beam spread	
CEILING APPEARANCE	Flanged up to 3/4" ceiling thickness	
CEILING APERTURE	4" ceiling cutout 2" aperture	
HOUSING	IC Airtight; suitable up to R60 spray foam insulation	
CONSTRUCTION	Housing: Galvanized Steel Trims: Die-Cast Aluminum	
FINISH	White (field paintable)	
GENERAL LISTINGS	ETL listed. Wet-rated.	
CALIFORNIA TITLE 24	Registered CEC Appliance Database. Can be used to comply with CEC 2019 Title 24 Part 6 (JA8-2016, JA8-2019).	
L70	50,000 hours min	
WARRANTY ²	5 years	

Ordering grids available on page 2.

¹See ELEMENT-Lighting.com for dimmer compatibility.

²Visit ELEMENT-Lighting.com for specific warranty limitations and details.

VERSE™ 3" LED

SLOPED CEILING DOWNLIGHTS

AVAILABLE JULY 2022

ORDERING INFORMATION

HOUSING

ITEM NUMBER	DESCRIPTION
V3R27S	VERSE 3" SLOPED HOUSING 2700K
V3R30S	VERSE 3" SLOPED HOUSING 3000K

Trims are required and must be ordered separately.
 All housings are IC-rated, airtight, and wet-rated.
 All modules are 120V.


TRIM

ITEM NUMBER	DESCRIPTION
V3RDSWH	VERSE 3" ROUND SLOPED FIXED
V3SDSWH	VERSE 3" SQUARE SLOPED FIXED


All trims are flanged white.

TRIMS

FIXED




SQUARE FLANGED



ROUND FLANGED

HOUSING



IC AIRTIGHT

Verse Sloped Ceiling is optimized for a 22.5° slope or 5:12 pitch however it will work with a broad range of ceiling pitches.

VERSE™ 3" LED

SLOPED CEILING DOWNLIGHTS

AVAILABLE JULY 2022

PHOTOMETRICS

Description: 3" LED Downlight
3000K

Model: Verse 9W Sloped

Input Power (Watts): 8.85

Input Power Factor: 0.99

Absolute Luminous Flux (Lumens): 855

Lumen Efficacy (Lumens per Watt): 96.9

ANGLE	0°	45°	90°
0°	606	606	606
5°	595	595	598
10°	571	571	583
15°	521	529	552
20°	464	475	510
25°	376	397	455
30°	263	298	385
35°	159	197	302
40°	87	118	216
45°	49	69	145
50°	26	41	96
55°	11	23	65
60°	4	11	45
65°	1	5	30
70°	0	2	19
75°	0	0	12
80°	0	0	7
85°	0	0	3
90°	0	0	0

